

Tolerância em Ângulos de acordo com a norma ISO9013

Esp. Mm	2		3		4		5	
	Grau	Desvio	Grau	Desvio	Grau	Desvio	Grau	Desvio
1	8.92	0.1570	22.29	0.4100	39.35	0.8200	51	1.2350
2	4.69	0.1640	11.86	0.4200	22.78	0.8400	32.42	1.2700
3	3.26	0.1710	8.16	0.4300	16	0.8600	23.51	1.3050
4	2.55	0.1780	6.28	0.4400	12.41	0.8800	18.52	1.3400
5	2.12	0.1850	5.14	0.4500	10.2	0.9000	15.38	1.3750
6	1.83	0.1920	4.38	0.4600	8.72	0.9200	13.22	1.4100
7	1.63	0.1990	3.84	0.4700	7.65	0.9400	11.66	1.4450
8	1.48	0.2060	3.43	0.4800	6.84	0.9600	10.48	1.4800
9	1.36	0.2130	3.12	0.4900	6.21	0.9800	9.56	1.5150
10	1.26	0.2200	2.86	0.5000	5.71	1.0000	8.81	1.5500
11	1.18	0.2270	2.65	0.5100	5.3	1.0200	8.2	1.5850
12	1.12	0.2340	2.48	0.5200	4.95	1.0400	7.69	1.6200
13	1.06	0.2410	2.33	0.5300	4.66	1.0600	7.26	1.6550
14	1.01	0.2480	2.21	0.5400	4.41	1.0800	6.88	1.6900
15	0.97	0.2550	2.1	0.5500	4.19	1.1000	6.56	1.7250
16	0.94	0.2620	2	0.5600	4	1.1200	6.28	1.7600
17	0.91	0.2690	1.92	0.5700	3.84	1.1400	6.03	1.7950
18	0.88	0.2760	1.85	0.5800	3.69	1.1600	5.81	1.8300
19	0.85	0.2830	1.78	0.5900	3.55	1.1800	5.61	1.8650
20	0.83	0.2900	1.72	0.6000	3.43	1.2000	5.43	1.9000
21	0.81	0.2970	1.66	0.6100	3.32	1.2200	5.26	1.9350
22	0.79	0.3040	1.61	0.6200	3.23	1.2400	5.12	1.9700
23	0.77	0.3110	1.57	0.6300	3.14	1.2600	4.98	2.0050
24	0.76	0.3180	1.53	0.6400	3.05	1.2800	4.86	2.0400
25	0.74	0.3250	1.49	0.6500	2.98	1.3000	4.74	2.0750
26	0.73	0.3320	1.45	0.6600	2.91	1.3200	4.64	2.1100
27	0.72	0.3390	1.42	0.6700	2.84	1.3400	4.54	2.1450
28	0.71	0.3460	1.39	0.6800	2.78	1.3600	4.45	2.1800
29	0.7	0.3530	1.36	0.6900	2.72	1.3800	4.37	2.2150
30	0.69	0.3600	1.34	0.7000	2.67	1.4000	4.29	2.2500
31	0.68	0.3670	1.31	0.7100	2.62	1.4200	4.22	2.2850
32	0.67	0.3740	1.29	0.7200	2.58	1.4400	4.15	2.3200
33	0.66	0.3810	1.27	0.7300	2.53	1.4600	4.08	2.3550
34	0.65	0.3880	1.25	0.7400	2.49	1.4800	4.02	2.3900
35	0.65	0.3950	1.23	0.7500	2.45	1.5000	3.96	2.4250
36	0.64	0.4020	1.21	0.7600	2.42	1.5200	3.91	2.4600
37	0.63	0.4090	1.19	0.7700	2.38	1.5400	3.86	2.4950
38	0.63	0.4160	1.18	0.7800	2.35	1.5600	3.81	2.5300
39	0.62	0.4230	1.16	0.7900	2.32	1.5800	3.76	2.5650
40	0.62	0.4300	1.15	0.8000	2.29	1.6000	3.72	2.6000
41	0.61	0.4370	1.13	0.8100	2.26	1.6200	3.68	2.6350
42	0.61	0.4440	1.12	0.8200	2.24	1.6400	3.64	2.6700
43	0.6	0.4510	1.11	0.8300	2.21	1.6600	3.6	2.7050
44	0.6	0.4580	1.09	0.8400	2.19	1.6800	3.56	2.7400
45	0.59	0.4650	1.08	0.8500	2.16	1.7000	3.53	2.7750
46	0.59	0.4720	1.07	0.8600	2.14	1.7200	3.5	2.8100
47	0.58	0.4790	1.06	0.8700	2.12	1.7400	3.46	2.8450
48	0.58	0.4860	1.05	0.8800	2.1	1.7600	3.43	2.8800
49	0.58	0.4930	1.04	0.8900	2.08	1.7800	3.4	2.9150
50	0.57	0.5000	1.03	0.9000	2.06	1.8000	3.38	2.9500
51	0.57	0.5070	1.02	0.9100	2.04	1.8200	3.35	2.9850
52	0.57	0.5140	1.01	0.9200	2.03	1.8400	3.32	3.0200
53	0.56	0.5210	1.01	0.9300	2.01	1.8600	3.3	3.0550
54	0.56	0.5280	1	0.9400	1.99	1.8800	3.28	3.0900
55	0.56	0.5350	0.99	0.9500	1.98	1.9000	3.25	3.1250